

OTHER ART

Examiner Initial
M

25. Ames et al., "Isolation of Neutralizing Anti-C5a Monoclonal Antibodies from a Filamentous Phage Monovalent Fab Display Library," J. Immunol., 152:4572-4581, 1994.
26. Auda et al., "Measurement of complement activation products in patients with chronic rheumatic diseases," Rheumat Int, 10:185-189, 1990.
27. DiScipio, "Formation and Structure of the C5b-7 Complex of the Lytic Pathway of Complement," J. Biol Chem, 267:17087-17094, 1992.
28. Giclas et al., "Preparation and characterization of monoclonal antibodies against the fifth component of rabbit complement (C5)," J. Immunol. Meth., 105:201-209, 1987.
29. Hong et al., "An Anticomplementary Agent, K-76 Monocarboxylic Acid: Its Site and Mechanism of Inhibition of the Complement Activation Cascade," J Immunol, 122:2418-2423, 1979.
30. Moongkarndi, et al., "Monoclonal antibodies against the fifth component of human complement," Immunobiol. 162:397, 1982.
31. Moongkarndi, et al., "Immunological and functional properties of two monoclonal antibodies against human C5," Immunobiol. 165:323, 1983.
32. Morrison, "In Vitro Antibodies: Strategies For Production And Application," Ann. Rev. Immunol. 10:239-265, 1992.

Philip Gromber 5/4/89

M

33. Peake et al., "Differences in the metabolism of C4 isotypes in patients with complement activation," Clin Exp Immunol, 78:49-53, 1989.

M

34. Rottini et al., "Monoclonal antibodies as probes to investigate the molecular changes of C5 associated with the different stability of the molecule on sheep erythrocytes and *Escherichia coli* 0111:B4," J Immunol, :643-647, 1991.—

Philip Gammie

5/17/99